MBE Reviewer Index

Volume 9

MOLECULAR BIOLOGY AND EVOLUTION extends its thanks to the following reviewers whose appreciable and appreciated efforts were so necessary to its success.

AKASHI, H.
ALLARD, M.
ANDERSON, J.
AQUADRO, C.
ARCHIE, J.

BALDAUF, S.
BEGUN, D.
BEVERLEY, S.
BIRKY, C.
BOGART, J.
BONHOMME, F.
BOORE, J.
BOUSSY, I.
BRITT, A.
BROOKS, D.
BROWN, D.
BULL, J.

CALVI, B.
CAVENDER, J.
CHAKRABORTY, R.
CHAKRAVARTI, A.
CHURCHILL, G.
CLARK, A.
COHAN, F.
COLLINS, T.
CRACRAFT, J.

DESALLE, R.
DOUGLAS, M.
DOVER, G.
DUBOSE, R.

EANES, W.
EDGELL, M.
EICKBUSH, T.

FELSENSTEIN, J.
FOX, G.
FOZEL, B.
FREEMAN, S.
FRENDEWEY, D.

GANS, C.
GERBI, S.
GHISELIN, M.
GILL, B.
GILLESPIE, J.
GOJOBORI, T.
GOLDING, B.
GOTOH, O.
GOUY, M.
GRAY, M.
GUARDIOLA, J.

HAMMER, M.
HARDIES, S.
HARDISON, R.
HARRISON, R.
HARTL, D.
HASEGAWA, M.
HEARING, P.
HEDGES, B.
HOEH, R.
HOLMQUIST, R.
HOLSINGER, K.
HONEYCUTT, R.
HOUDE, P.
HUDSON, R.
HUGHES, A.

IRWIN, D.

KAPLAN, N.
KIRKWOOD, T.
KOCHER, T.
KOOP, B.

LARSON, A.
LAURIE, C.
LEICHT, B.
LESSA, E.
LEVIN, B.
LI, J.
LI, W.-H.
LINDAHL, L.
LYNCH, M.

MCDONALD, J.
MACINTYRE, R.
MCKINNON, D.
MANOIL, C.
MARTIN, M.
MEYER, A.
MEYERHOF, W.
MILKMAN, R.
MIYAMOTO, M.
MORITZ, C.

NACHMAN, M.
NEE, S.

OCHMAN, H.
O'HUIGIN, C.
OLSEN, G.
ORR, A.
OVENDEN, J.

PALMER, J.
PATIET, R.
POWELL, J.

RAND, D.
REDFIELD, R.
RICHMOND, R.
ROHLF, J.
RUVOLO, M.
RZHETSKY, A.

SAITOU, N.
SATTA, Y.
SAUNDERSON, M.
SCHAEFFER, S.
SHARP, P.
SHUB, D.
SIBLEY, C.
SILVER, L.
SINGH, R.
SMITH, D.
SMOUSE, P.
SNOW, E.
SOGIN, M.
SPICER, G.
STEPHAN, W.
STERN, D.
STONEKING, M.

TAJIMA, F.
TAKAHATA, N.
TAMURA, K.
TAVARÉ, S.
TAYLOR, J.
TRACEY, M.
TUCKER, P.

VILGALYS, R.
VRIEJENHOCK, B.

WALSH, J.
WATTERSON, G.
WAYNE, M.
WHEELER, W.
WHITTAM, T.
WICHMAN, H.
WIER, B.
WIMBERGER, P.
WOLFE, C.
WOLFE, K.
WU, C.-I.

YOKOYAMA, S.

MBE Author-Subject Index

Volume 9

(B) = Book Review; (L) = Letter to the Editor

A+T saturation, 621
Actinorhizal plants, 1076
Adh, 261, 526
Adh-dup, 261
Aegilops, 917
AGROTIS, ALEX, 250, 526
akodontine rodents, 204
alcohol dehydrogenase gene, 250
algae: green, 1103
ALLARD, MARC W., 27, 778
alleles: null, 250
amino acid polymorphism, 56
amniota, 374 (L)
amniote phylogeny, 370 (L)
anthropology: molecular, 587
arbutin, 688
ÁRNASON, ÚLFUR, 1018
arthropods, 826
Artiodactyla, 770 (L)
Ascaridoidea, 932
Ascomycete: 893; classification, 278
Ascosphaera apis, 278
ATPase genes, 474
aves, 374 (L)
AVISE, JOHN C., 457
AYALA, FRANCISCO J., 621

BARRIO, ELADIO, 621
base composition, 836
basidiomycete, 285
Bathyergidae, 27
BECKETT-LEMUS, L., 1163
BEERLI, PETER, 610
BELKHIRI, ABBES, 1089
BELL, GRAEME I., 193
BENTZEN, PAUL, 968 (L)
BERBEE, MARY L., 278
BERMINGHAM, ELDREDGE, 457
β-globin, 323
Betulaceae, 1076
bias: strand, 836; substitution, 370 (L); transition-transversion, 678, 814
Bilateria, 235
birds, 370 (L)
BOBOLA, MICHAEL S., 125
BOOS, DENNIS D., 138
bootstrap: 1148; estimation, 1119; replicates, 1119
BOUILLAUD, F., 970 (L)
BOUSQUET, JEAN, 1076, 1185 (L)
bovidae, 433
BOWEN, BRIAN W., 457
BOWMAN, BARBARA H., 285, 893
branch lengths: estimates, 945; standard error of, 168
BRENDEL, VOLKER, 152
BRENNWALD, PATRICK J., 297
BROWNLEE, ALAN G., 285
BRUNK, CLIFFORD F., 70
BRUNS, T. D., 836
BUCHER, PHILIPP, 152
BUCHKO, JOHN, 1089
BULMER, MICHAEL, 1191 (B)
BUSSEMAKERS, MARION J. G., 483

CAMPBELL, JAMES W., 787
carboxylase: 5-biphosphate, 1076
CASTEILLA, L., 970 (L)
CAVENER, DOUGLAS R., 1029
Cercopithecoidea, 1, 417
cetaceans, 1018
character analysis, 309
chemostats, 394
χ^2, *968 (L)*
CHURCHILL, GARY A., 753
chytrid, 285
CLARK, ANDREW G., 744
CLEGG, MICHAEL T., 856
codon usage, 654
coelom, 235
collagen: prokaryotic, 1179
collagenous sequence, 1179
compartmentation: tissue-specific, 787
composition: base, 836
concerted evolution, 826
confidence: interval, 1176 (L); level, 1119
consistency, 537, 778
COOK, DOUGLAS I., 106
cottontop tamarin, 403
COURNOYER, BENOIT, 495
CRACRAFT, JOEL, 182 (B)
CRAWFORD, DOUGLAS L., 806
crocodiles, 370 (L)
CROZIER, R. H., 474
CROZIER, Y. C., 474
cryptic genes, 654, 688
CUNY, GÉRARD, 41
cystein-rich repeat motif, 707
cytochrome *b*, 204, 474
cytochrome oxidase subunit II (COII) gene, 1

DEBRY, RONALD W., 537
DEEN, PETER M. T., 483
dehydrogenase: 1029; gene, 250; lactate, 806
denaturing gradient gel electrophoresis, 323
DESALLE, ROB, 417, 905
development, 1029
directional selection, 216
DISOTELL, TODD R., 1
distance-matrix: 1148; methods, 872
distribution, 552
divergence: 905; human, 1176 (L); sequence, 447
DJIAN, PHILIPPE, 417, 977
DNA: heterogeneity, 1089; highly repetitive, 1018; hybridization, 309; sequence, 70, 250, 366 (L); sequencing error, 744
domains: homologous, 970 (L)
DOOLITTLE, W. FORD, 826
DQB1 polymorphisms, 599
Drosophila: 56, 526, 814, 1029; *mauritiana,* 507; *melanogaster,* 250, 1050; *sechellia,* 507; *simulans,* 507; *subobscura,* 261
DROUIN, GUY, 826
dysgenesis: murine hybrid, 331

ECOR collection, 654
18S rDNA, 1103
18S rRNA, 235, 379 (L)
18S ribosomal RNA, 893
electrophoresis: denaturing gradient gel, 323
elements: long interspersed, 41; regulatory DNA, 483; transposable, 1050
Escherichia coli, 394, 654
estimates of branch lengths, 945
evolution: 366 (L), 621, 1029; concerted, 826; molecular, 152, 285, 636, 872, 893; primate, 599; repeats, 977; sequence, 770; signal sequence, 787; uricoteley, 787
evolutionary: adaptation, 806; parsimony, 778, 1163; radiation, 433; rates, 457, 856
exon shuffling, 216

families: protein, 152
females: XY, 331
FENG, YUE, 1029
FERGUSON-SMITH, ANNE C., 575
FIELD, KATHARINE G., 235
FIGUEROA, FELIPE, 403
FITCH, WALTER M., 1, 378 (L)
5-biphosphate carboxylase, 1076
5S ribosomal genes, 826
5S ribosomal RNA gene, 1089
flagellates, 85
FLAVELL, R. B., 716
FLOYD, GARY L., 1103
Frankia alni, 495
FUERST, PAUL A., 1103
Fundulus heteroclitus, 806
fungi: 636; pathogenic, 893; rumen, 285
FURNIER, GLENN R., 856

G+C-content bias, 678
GATESY, JOHN, 433
GAUR, LAKSHMI K., 599
gene(s): alcohol dehydrogenase, 250; ATPase, 474; conversion, 14; cryptic, 654, 688; diversity, 729; evolution, 261; 5S ribosomal, 826; 5S ribosomal RNA, 1089; proopiomelanocortin, 483; ribosomal, 125
genetic(s): differences, 552; distance, 1181; population, 729; relatedness, 729
GENTZBITTEL, LAURENT, 872
genus *mus,* 14
geographic subdivision, 138, 968 (L)
GIBSON, JOHN B., 250
GILBERT, DENNIS A., 729
GJETVAJ, BRANIMIR, 106
glucose, 1029
glutamine synthetase, 787
GONZÁLEZ-DUARTE, ROSER, 261
GOUY, MANOLO, 495
GRAHOVAC, BLAZENKA, 403
green algae, 1103
GREEN, HOWARD, 417, 977
GRÉTARSDÓTTIR, SÓLVEIG, 1018
group I intron, 1103
group II introns, 856
growth rates, 394
GUTKNECHT, JUTTA, 599

HALL, BARRY G., 654, 688
HAKURA, AKIRA, 707
HARPENDING, HENRY, 552
Hawaiian Drosophilidae, 905
HAYASHIDA, HIDENORI, 707
HEDGES, S. BLAIR, 366 (L), 374 (L)
HEISE, EUGENE R., 599
Helianthus, 872
HELLER, MARY, 1
hemiclonal reproduction, 610
heterochrony, 309

heterodimers, 216
heterozygosity, 507
highly repetitive DNA, 1018
histocompatibility, 403
histones, 70
hobo, 1050
HOFMAN, JASON D., 826
hominoid(s): evolution, 168; slowdown, 193
homologous domains, 970 (L)
homology: 235; recognition criteria, 309
honeybee, 474
HONEYCUTT, RODNEY L., 1, 27
horizontal transfer, 1050
HOTZ, HANSJÜRG, 610
HOX2, 575
HUDSON, RICHARD R., 138, 969 (L)
HUGHES, AUSTIN L., 216, 381, 570 (B), 599
human divergence, 1176 (L)
hyaluronidase, 1179 (L)
hybridization: Southern, 917
hybridogenesis, 610
hybrids, 610
hypervariable minisatellites, 729
hyrax, 447

integrin, 216
interallelic recombination, 381
intergenic regions, 70
internal transcribed spacers, 636
intron(s): 297, 323; group I, 1103; group II, *856; insert, 526*
invariable sites, 587, 753
invariants: linear, 1163
inverted repeat, 716
involucrin, 417, 977

JARECKI, LIANNA, 770 (L)
JUBIER-MAURIN, VÉRONIQUE, 41

KAPLAN, NORMAN L., 138
KAPLAN, SUSANNE R., 56
KARLIN, SAMUEL, 152
KE, LI DAO, 1061
KIDD, KENNETH K., 575
kinetics: ribosome, 394
KIRK, DAVID L., 85
KIRK, MARILYN M., 85
KISHINO, HIROHISA, 1148
KLASSEN, GLEN R., 1089
KLEIN, ANITA S., 125
KLEIN, JAN, 403

KRASNEY, PHILIP A., 1029
KRAUS, FRED, 770 (L)
KREITMAN, MARTIN, 187 (B)
KURLAND, C. G., 394

L1 repeats, 41
lactate dehydrogenase, 806
LAIPIS, PHILIP J., 770 (L)
LAMB, TRIP, 457
large subunit of ribulose-1, 1076
LARSON, ALLAN, 85
LATORRE, AMPARO, 621
LAURENT, ANNE-MARIE, 41
LEARN, GERALD H. JR., 856
LEE, JEAN, 285
LEE, STEVEN B., 636
LESSA, ENRIQUE P., 323
LEWIS, LOUISE A., 1103
LI, PENG, 1076, 1185 (L)
LI, WEN-HSIUNG, 193, 1119
likelihood: 836; maximum, 778, 1148
linear invariants, 1163
Liquidambar, 1076
long interspersed elements, 41
long-terminal repeat, 716
LU, SHI-DA, 285
LUCAS, H., 716

MCKECHNIE, STEPHEN W., 526
MCLAREN, IAN A., 826
mammalia, 374 (L)
mammals, 370 (L), 977
MARFANY, GEMMA, 261
Markov: chains, 666; clock, 587
MARSHALL, CHARLES R., 309, 370
MARTENS, GERARD J. M., 483
MATTHEW, PAUL, 526
maximum likelihood, 778, 1148
maximum-parsimony method, 537
MAXSON, LINDA R., 374 (L)
MAYER, WERNER E., 403
medical mycology, 893
merozoite, 381
method: maximum-parsimony, 537; minimum-evolution, 945; modified Farris, 537; neighbor-joining, 537, 778, 945
MEYLAN, ANNE B., 457
MHC, 599
Mhc-DRB gene, 403
migration, 138, 968 (L)
MIKKOLA, RIITTA, 394
minimum-evolution method, 945
minisatellites: hypervariable, 729

mitochondria, 27
mitochondrial: D-loop, *1176 (L)*; *DNA*, *1*, 106, 204, 447, 457, 814; Eve, 587; genome, *917*; *ribosomal DNA*, *433*; sequences in the nucleus, 204; transporter, *970 (L)*
MIYAMOTO MICHAEL M., 770 (L), 778
model: multinomial, *753*
modified Farris method, 537
mole-rats, *27*
molecular: anthropology, 587; clocks, 193, *621*, *836*, *1176 (L)*, *1185 (L)*; *evolution*, 152, 285, 636, 872, 893; phylogeny, 1, *495*, *1018*; *systematics*, *1061*
monkeys: Old-World (Cercopithecoidea), 1, *417*
MOORE, G., 716
morphology, *235*, *1076*
mouse, 41
MOYA, ANDRÉS, *621*
MSA-1, 381
mtDNA: 610; *sequences*, *1061*; *size polymorphism*, 106
multigene families, *216*
multinomial model, 753
MURATA, YOSHIAKI, 707
murine hybrid dysgenesis, 331
MURPHY, G., 716
mutation, 507
mycology: medical, 893
mysticetes, 1018

NADLER, STEVEN A., 932
NAKANISHI, TOSHIHIRO, 707
NALLASETH, FEREZ S., 331
natural isolates, 394
natural selection, 507
NAVIDI, WILLIAM C., *753*, *1163*
ND-1 gene, 1061
NEI, MASATOSHI, *945*, *1176 (L)*
neighbor-joining method, 537, 778, 945
Nematoda, *932*
nemertines, 235
NICOLAS, PAUL, *872*
nifD, 495
nontranscribed spacer, *1089*
NORMAND, PHILIPPE, 495
nuclear DNA, *872*
nuclear hormone receptor, 970 (L)
nucleotide: pattern of substitution, *814*; polymorphism, 56, 138; sequence divergence, *447*; *sequences*, *666*; substitution rate, 261, 814; substitution(s), 193, 678, *1185 (L)*
null alleles, 250

O'BRIEN, STEPHEN J., 729
O'HUIGIN, COLM, *403*
OHTSUKI, YUJI, 707
OKA, TAKASHI, *707*
Old-World monkeys (Cercopithecoidea), 1, *417*
OMOTO, KEIICHI, 1192 (B)
Ophiostoma ulmi, *278*
organs: reproductive, 1029
overdominant selection, *599*

pairwise genetic differences, *552*
paleobiogeography, 309
Papionini, *1*
PAQUEREAU, LAURENT, 41
parsimony: 778; weighted, 370 (L)
PASHLEY, DOROTHY PROWELL, 1061
pathogenic fungi, 893
pattern of nucleotide substitution, 814
PATTON, JAMES L., 204
PCR, 636
perforin, 707
permutation test, 138, 968 (L)
PERRAULT, ANNIE, 872
PESOLE, G., 587
phospho-β-glucosidase, 688
phosphoenolpyruvate-dependent phosphotransferase system enzyme III, 654
phylogenetic: inference, 753, 1148, 1163; reconstruction, 1119; relationships, 261; tree, 168
phylogeny: 27, 70, 235, 366 (L), 575, 707, 778, 917, 932, 1076; amniote, *370 (L)*; molecular, 1, 495, 1018; sand dollar, 309
phylogeography, *447*
Phytophthora, 636
Picea: mariana and *rubens*, *125*
plants: Actinorhizal, 1076
Plasmodium falciparum, *381*
plastid DNA, 856
Plectomycetes, *278*
polymerase: chain reaction, 204, 323, 826; *RNA*, *1148*
polymorphism(s): 526, 729; amino acid, *56*; *DQB1*, *599*; *mtDNA*, *106*; nucleotide, 56, 138; restriction fragment, 447; *sequence*, *575*
population genetics, 729
population growth, 552

pore-forming proteins (PFP), 707
PORTER, GREGORY L., 297
positive selection, 381
POWERS, DENNIS A., 806
PREPARATA, G., 587
preribosomal RNA processing, 297
primate(s): 599; evolution, 193
PRINSLOO, PAULETTE, 447
Procavia capensis, 447
prokaryotic collagen, 1179
proopiomelanocortin gene, 483
protein(s): families, 152; pore-forming *(PFP), 707*
purothionin, 707
Pyrenomycetes, 278

Quercus, 1076
QUINE, JONATHAN A., 1029

RAFF, RUDOLF A., 235
Rana: esculenta and *ridibunda,* 610
randomization test, 968 (L)
rates: evolution, 1076; growth, 394; mtDNA evolution, 621; substitution, 261, 814
rDNA, 636
receptor: nuclear hormone, 970 (L); T-lymphocyte antigen, 14
recombination; interallelic, 381
regulatory DNA elements, 483
relative-rate test, 1185 (L)
repeat(s): cystein-rich repeat motif, *707;* evolution, 977; inverted, 716; L1, 41; *long terminal, 716; ribosomal DNA,* 826, 1089
repeated sequences, 106
repressor, 688
reproduction: hemiclonal, 610
reproductive organs, 1029
reptilia, 374 (L)
restriction-fragment polymorphisms, 447
retrotransposon, 716
RFLPs, 917
ribosomal DNA: sequence, 278; repeats, 826, 1089
ribosomal: genes, 125; kinetics, 394; 16S, 1061
RICQUIER, D., 970 (L)
RILEY, MARGARET A., 56
RNA: polymerase, 1148; preribosomal processing, 297; small nuclear, 297; 12S ribosomal, 770
ROBINSON, TERENCE J., 447
rodents: akodontine, 204
ROFF, DEREK A., 968 (L)
ROGERS, ALAN R., 552, 1181 (L)
ROGERS, JEFFREY, 575 (L)
ROIZES, GÉRARD, 41
ROUBOS, ERIC W., 483
rRNA, 85; sequencing, 932; small-subunit rRNA, 1103
RUANO, GUALBERTO, 575
RUDIKOFF, STUART, 1
rumen fungi, 285
RUVOLO, MARYELLEN, 1
RZHETSKY, ANDREY, 945

SACCONE, C., 587
SADLER, LORI A., 70
salicin, 688
sample estimation, 1119
sand dollar phylogeny, 309
satellite DNA, 1018
SBISÀ, E., 587
scallops, 106
SCHIFF, NATHAN M., 1029
secondary structure, 433
SEINO, SUSUMU, 193
selection: directional, 216; natural, 507; overdominant, 599; positive, 381
SELINGER, DAVID A., 297
sequence(s): 152; evolution, 770; identity, 483; length, 1119; nucleotide, 666; polymorphism, 575; repeated, 106; ribosomal *DNA, 278; rRNA, 932*
SÉVIGNY, JEAN-MARIE, 826
SHARP, PAUL M., 654
SHORE, JOEL S., 856
signal-sequence evolution, 787
SIMMONS, GAIL M., 1050
SIMONET, PASCAL, 495
SINGH, RAMA S., 507
sites: invariable, 587, 753
16S ribosome, 1061
small nuclear RNAs, 297
small-subunit rRNA, 1103
SMITH, DARWIN D., 787
SMITH, DIRK E., 125
SMITH, MARGARET F., 204
Southern hybridization, 917
spacers: internal transcribed, 636; nontranscribed, 1089
speciation, 507
species-specific compartmentation, 787
spodoptera, 1061
SPOLSKY, CHRISTINA, 610

spruce, 125
standard error of branch length, 168
statistical: analysis, 968 (L); test for topology, 168
statistics, 152, 366 (L)
stem regions, 770
STEPHENS, J. CLAIBORNE, 729
STERN, MICHAEL, 1179 (L)
STERN, ROBERT, 1179 (L)
strand bias, 836
STRAUSS, STEVEN H., 1076
substitution bias, 370 (L)
substitution estimates, 1181 (L)
sugar transport, *688*
systematics, 366 (L), 374 (L); molecular, *1061*
SZARO, T. M., 836

T-lymphocyte antigen receptor, 14
TAJIMA, FUMIO, 168
TAMURA, KOICHIRO, 678, 814
TANHAUSER, SUSAN M., 770 (L)
TAYLOR, ANDREA C., 526
TAYLOR, JOHN W., 278, 285, 636, 893
TERACHI, TORU, 917
TERWEL, DICK, 483
test(s): permutation, 138, 968 (L); randomization, *968 (L)*; relative-rate, 1185 (L); topological difference, 945
Tetrahymena, 70
THOMAS, SHANTA, 507
THOMAS, W. KELLEY, 204
THORNE, JEFFREY L., 1148
TICHY, HERBERT, 403
tissue-specific compartmentation, 787
TOYOSHIMA, KUMAO, 707
transcription rate, 806
transgenic, 1029
transition-transversion: bias, 678, *814*; ratio, 836
transport: sugar, 688
transposable elements, 1050
tree: phylogenetic, 168
TSUNEWAKI, KOICHIRO, 917
TURBEVILLE, J. MCCLINTOCK, 235
turtles, 457
12S ribosomal RNA, 770

VEUILLE, MICHEL, 56
VINCEK, VLADIMIR, 403
viruses, 666
Volvox, 85
VON HAESELER, ARNDT, 753
VRBA, ELISABETH S., 433

WATTERSON, G. A., 666
weighted parsimony, 370 (L)
wheat: 716; and Aegilops, 917
WHITE, THOMAS J., 285, 893
WHITTAM, THOMAS S., 744
WIDEGREN, BENGT 1018
WILCOX, LEE W., 1103
WILKS, ANN VERONA, 250
WISE, JO ANN, 297

Xdh, 56
xenology, 1050
Xenopus, 483
XU, LEI, 688
XY females, 331

Y chromosome instability, 331
YELON, DEBORAH, 433
YOSHIZUMI, HAJIME, 707
YUHKI, NAOYA, *729*

ZHARKIKH, ANDREY, 1119
zinc-finger knuckle, 970 (L)
ZOUROS, ELEFTHERIOS, 106
ZURAWSKI, GERARD, 856